



INA 4428 Ball Thrust Bearings & Washers

Bearing No. 4428

4428 Bearing 2D drawings and 3D CAD models

Size	55.563x84.138x22.225 mm
Bore Diameter	55,563 mm
Outer Diameter	84,138 mm
Width	22,225 mm
d	2 3/16 inch
d	55,563 mm
D	3,313 inch
D	84,138 mm
T	0,875 inch
T	22,225 mm
D ₁	56,363 mm
D ₁	2,219 inch
m	0,937 lbs / Weight
m	0,425 kg / Weight
C _a	9220 lbf / Dynamic load rating (axial)
C _a	41000 N / Dynamic load rating (axial)
C _{0a}	22500 lbf / Static load rating (axial)
C _{0a}	100000 N / Static load rating (axial)
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.43



Suau Konrakansurin Ltd.

EAN	4012802029697
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row Deep Groove Medium Cross Section Grooved Race Separable
Long Description	2-3/16" Bore 1; 2-7/32" Bore 2; 3-5/16" Outside Diameter; 7/8" Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch - Metric	Inch
Category	Thrust Ball Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	4428
Weight / LBS	0.937
Bore 1	2.188 Inch 55.575 Millimeter
Bore 2	2.219 Inch 56.363 Millimeter
Height	0.875 Inch 22.225 Millimeter
Outside Diameter	3.313 Inch 84.15 Millimeter



Suau Konrakansurin Ltd.

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------